

**TABLE OF CONTENTS**

#4 Electric .....	1	Gal West Bot .....	7
#6 Electric .....	2	Gal West Top .....	8
#8 Electric .....	3	Scenic Pipe East .....	8
#9 Electric .....	3	Scenic Pipe West .....	8
#10 Electric .....	4	SL Boom 1 .....	8
#10 Electric Top .....	4	SL Boom 2 .....	9
US B/C PIPE .....	4	SL Boom 3 .....	9
DS B/C PIPE .....	5	SR Boom 1 .....	9
A Elec .....	5	SR Boom 2 .....	9
B Elec .....	5	SR Boom 3 .....	9
C Elec .....	5	DECK .....	10
D Elec .....	6	Under Catwalks .....	10
Gal East Bot .....	6	#1 Electric .....	10
Gal East Top .....	7	Entry Track .....	10

**#4 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM FRNT	Altman 6x12	750w	R119	(4)	1/111	111
2	SPARE	PAR 64 MFL	1kW		(251)	1/100	100
3	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(121)	1/101	101
4	WARM FRNT	Altman 6x12	750w	R119	(3)		
5	WARM FRNT	Altman 6x12	750w	R119	(5)	1/102	102
6	SPARE	PAR 64 MFL	1kW		(252)	1/97	97
7	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(122)	1/99	99
8	WARM FRNT	Altman 6x12	750w	R119	(6)	1/98	98
9	COOL FRNT	Altman 6x12	750w	R60+R119	(24)	1/95	95
10	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(123)	1/96	96
11	SPARE	PAR 64 MFL	1kW		(253)	1/92	92
12	COOL FRNT	Altman 6x12	750w	R60+R119	(25)	1/91	91
13	COOL FRNT	Altman 6x12	750w	R60+R119	(21)		
14	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(124)	1/93	93
15	SPARE	PAR 64 MFL	1kW		(254)	1/107	107
16	COOL FRNT	Altman 6x12	750w	R60+R119	(26)	1/108	108

**#6 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM FRNT	Altman 6x12	750w	R119	(7)	1/113	113
2	SPARE	PAR 64 MFL	1kW		(255)	1/112	112
3	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(125)	1/114	114
4	WARM FRNT	Altman 6x12	750w	R119	(8)	1/138	138
5	SPARE	PAR 64 MFL	1kW		(256)	1/133	133
6	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(126)	1/136	136
7	SPARE	PAR 64 MFL	1kW		(257)	1/134	134
8	WARM FRNT	Altman 6x12	750w	R119	(9)	1/135	135
9	COOL FRNT	Altman 6x12	750w	R60+R119	(27)	1/131	131
10	SPARE	PAR 64 MFL	1kW		(258)	1/130	130
11	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(127)	1/132	132
12	SPARE	PAR 64 MFL	1kW		(259)	1/127	127
13	COOL FRNT	Altman 6x12	750w	R60+R119	(28)	1/119	119
14	FRNT TXT	Colortran 30 Deg.	750w	N/C, T:R77774	(128)	1/117	117
15	SPARE	PAR 64 MFL	1kW		(260)	1/120	120
16	COOL FRNT	Altman 6x12	750w	R60+R119	(29)	1/118	118

**#8 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	SPARE	Altman 6x12	750w	R119	(213)	1/174	174
2	WARM FRNT	Altman 6x12	750w	R119	(10)	1/173	173
3	WARM TOP	6" Fresnel	1kW	R38	(41)		
4	SPARE	Altman 6x12	750w	R119	(214)	1/171	171
5	COOL TOP	6" Fresnel	1kW	R62	(61)		
6	WARM FRNT	Altman 6x12	750w	R119	(11)	1/170	170
7	WARM TOP	6" Fresnel	1kW	R38	(42)		
8	SPARE	Altman 6x12	750w	R119	(215)	1/169	169
9	SPARE	Altman 6x12	750w	R119	(216)	1/166	166
10	COOL TOP	6" Fresnel	1kW	R62	(62)		
11	COOL FRNT	Altman 6x12	750w	R60+R119	(30)	1/167	167
12	WARM TOP	6" Fresnel	1kW	R38	(43)		
13	SPARE	Altman 6x12	750w	R119	(217)	1/163	163
14	COOL TOP	6" Fresnel	1kW	R62	(63)		
15	COOL FRNT	Altman 6x12	750w	R60+R119	(31)	1/164	164
16	SPARE	Altman 6x12	750w	R119	(218)	1/165	165

**#9 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM TOP	S4 PAR MFL	575w	R38+R104	(44)	1/193	193
2	COOL TOP	S4 PAR MFL	575w	R62+R104	(64)	1/195	195
3	WARM TOP	S4 PAR MFL	575w	R38+R104	(45)	1/197	197
4	COOL TOP	S4 PAR MFL	575w	R62+R104	(65)	1/188	188
5	WARM TOP	S4 PAR MFL	575w	R38+R104	(46)	1/191	191
5	GOD	Source 4 36deg	575w	R53+R119	(667)		
6	COOL TOP	S4 PAR MFL	575w	R62+R104	(66)	1/190	190

**#10 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM SIDE F	Source 4 36deg	575w	R344+R119	(84)	1/209	209
2	WARM TOP	S4 PAR MFL	575w	R38+R104	(47)	1/208	208
3	COOL TOP	S4 PAR MFL	575w	R62+R104	(67)	1/207	207
4	WARM TOP	S4 PAR MFL	575w	R38+R104	(48)	1/198	198
5	GOD	Source 4 36deg	575w	R53+R119	(666)		
6	COOL TOP	S4 PAR MFL	575w	R62+R104	(68)	1/202	202
7	WARM TOP	S4 PAR MFL	575w	R38+R104	(49)	1/204	204
8	COOL TOP	S4 PAR MFL	575w	R62+R104	(69)	1/200	200
9	COOL SIDE F	Source 4 36deg	575w	R378+R119	(93)	1/203	203

**#10 Electric Top**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	SPARE	Altman 6x9	750w		(201)	1/205	205
2	SPARE	Altman 6x9	750w		(202)	1/206	206
3	SPARE	Altman 6x9	750w		(203)	1/194	194
4	SPARE	Altman 6x9	750w		(204)	1/187	187
5	SPARE	Altman 6x9	750w		(205)	1/199	199
6	SPARE	Altman 6x9	750w		(206)	1/201	201

**US B/C PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL BAX	PAR 64 MFL	1kW	R74	(106)	1/240	240
2	COOL BAX	S4 PAR MFL	575w	R74	(209)	1/231	231
3	COOL BAX	PAR 64 MFL	1kW	R74	(109)	1/230	230
4	COOL BAX	PAR 64 MFL	1kW	R74	(110)	1/233	233
5	COOL BAX	S4 PAR MFL	575w	R74	(210)	1/232	232
6	COOL BAX	PAR 64 MFL	1kW	R74	(107)	1/214	214

**DS B/C PIPE**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM TOP	S4 PAR MFL	575w	R38+R104	(50)	1/234	234
2	COOL TOP	S4 PAR MFL	575w	R62+R104	(70)	1/220	220
3	WARM TOP	S4 PAR MFL	575w	R38+R104	(51)	1/215	215
4	COOL TOP	S4 PAR MFL	575w	R62+R104	(71)	1/216	216

**A Elec**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL BAX	PAR 64 MFL	1kW	R74	(104)	1/213	213
1		18" Side Arm					
2	COOL BAX	PAR 64 MFL	1kW	R74	(108)	1/212	212
2		18" Side Arm					
3	COOL BAX	S4 PAR MFL	575w	R74	(211)	1/224	224
3		18" Side Arm					
4	SPARE	S4 PAR MFL	575w		(212)	1/225	225
4		18" Side Arm					

**B Elec**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL BAX	PAR 64 MFL	1kW	R74	(103)	1/189	189
1		18" Side Arm					

**C Elec**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL BAX	PAR 64 MFL	1kW	R74	(102)	1/219	219
1		18" Side Arm					

**D Elec**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL BAX	PAR 64 MFL	1kW	R74	(101)	1/221	221
1		18" Side Arm					
2	COOL BAX	PAR 64 MFL	1kW	R74	(105)	1/222	222
2		18" Side Arm					
3	COOL BAX	S4 PAR MFL	575w	R74	(207)	1/217	217
3		18" Side Arm					
4	SPARE	S4 PAR MFL	575w		(208)	1/218	218
4		18" Side Arm					

**Gal East Bot**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
	FOLLOWSPOT	Iris		Note 1			
1	FOLLOWSPOT	Source 4 50deg+Iris	750w	Note 1	(801)		
2	WARM SIDE F	Source 4 36deg	575w	R344+R119	(82)	1/183	183
3	TXT	Source 4 36deg	575w	N/C, T:R77288	(114)	1/182	182
4	TXT	Source 4 50deg	575w	N/C, T:R77288	(115)	1/184	184
5	WARM SIDE N	Source 4 50deg	575w	R344+R119	(83)	1/185	185
6	WARM SIDE N	Source 4 50deg	575w	R344+R119	(85)	1/186	186
7	WARM DIAG	Colortran 30 Deg.	750w	R318+R119	(165)	1/238	238
8	TXT	Source 4 50deg	575w	N/C, T:R77288	(116)	1/235	235
9	TXT	Source 4 36deg	575w	N/C, T:R77288	(116)	1/235	235
10	Ghost Light	Par 38 Body	500w	GHOST	(170)	1/229	229

## NOTES:

1. R119, R132, R53, L201, R02, R33

**Gal East Top**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	TXT	Source 4 36deg	575w	N/C, T:R77288	(115)	1/184	184
2	WARM SIDE F	Source 4 36deg	575w	R344+R119	(86)	1/239	239
3	WARM DIAG	Colortran 30 Deg.	750w	R318+R119	(166)	1/237	237
4	WARM DIAG	Colortran 30 Deg.	750w	R318+R119	(167)	1/236	236
5	WARM DIAG	Colortran 30 Deg.	750w	R318+R119	(168)		

**Gal West Bot**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
	FOLLOWSPOT	Iris		Note 1			
1	FOLLOWSPOT	Source 4 50deg+Iris	750w	Note 1	(802)		
2	COOL SIDE F	Source 4 36deg	575w	R378+R119	(91)	1/176	176
3	TXT	Source 4 36deg	575w	N/C, T:R77228	(111)	1/177	177
4	TXT	Source 4 50deg	575w	N/C, T:R77228	(112)	1/228	228
5	COOL SIDE N	Source 4 50deg	575w	R378+R119	(94)	1/179	179
6	COOL SIDE N	Source 4 50deg	575w	R378+R119	(96)	1/139	139
7	COOL DIAG	Colortran 30 Deg.	750w	R70+R119	(161)	1/142	142
8	TXT	Source 4 50deg	575w	N/C, T:R77228	(113)	1/178	178
9	TXT	Source 4 36deg	575w	N/C, T:R77228	(113)	1/178	178
10	Ghost Light	Par 38 Body	500w	GHOST	(170)	1/229	229

## NOTES:

1. R119, R132, R53, L201, R02, R33



**Gal West Top**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	TXT	Source 4 36deg	575w	N/C, T:R77228	(112)	1/228	228
2	COOL SIDE F	Source 4 36deg	575w	R378+R119	(95)	1/227	227
3	COOL DIAG	Colortran 30 Deg.	750w	R70+R119	(162)	1/140	140
4	COOL DIAG	Colortran 30 Deg.	750w	R70+R119	(163)	1/141	141
5	COOL DIAG	Colortran 30 Deg.	750w	R70+R119	(164)		

**Scenic Pipe East**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	WARM FRNT	Altman 6x12	750w	R119	(2)	1/109	109
2	WARM FRNT	Altman 6x12	750w	R119	(1)	1/110	110
3	WARM SIDE N	Source 4 50deg	575w	R344+R119	(81)	1/181	181
4	TXT	Source 4 50deg	575w	N/C, T:R77288	(114)	1/182	182

**Scenic Pipe West**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	COOL FRNT	Altman 6x12	750w	R60+R119	(22)	1/104	104
2	COOL FRNT	Altman 6x12	750w	R60+R119	(23)	1/103	103
3	COOL SIDE N	Source 4 50deg	575w	R378+R119	(92)	1/175	175
4	TXT	Source 4 50deg	575w	N/C, T:R77228	(111)	1/177	177

**SL Boom 1**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(141)		
2	BLAST	6" Fresnel	1kW		(151)		
3	SHIN	Source 4 50deg	575w		(131)		

**SL Boom 2**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(142)		
2	BLAST	6" Fresnel	1kW		(152)		
3	SHIN	Source 4 50deg	575w		(132)		

**SL Boom 3**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(143)		
2	BLAST	6" Fresnel	1kW		(153)		
3	SHIN	Source 4 50deg	575w		(133)		

**SR Boom 1**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(144)		
2	BLAST	6" Fresnel	1kW		(154)		
3	SHIN	Source 4 50deg	575w		(134)		

**SR Boom 2**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(145)		
2	BLAST	6" Fresnel	1kW		(155)		
3	SHIN	Source 4 50deg	575w		(135)		

**SR Boom 3**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	HEAD HIGH	Source 4 50deg	575w		(146)		
2	BLAST	6" Fresnel	1kW		(156)		
3	SHIN	Source 4 50deg	575w		(136)		

**DECK**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	LED Cyc	Colour Chorus 72	630w	LED	(411)		
2	LED Cyc	Colour Chorus 72	630w	LED	(412)		
3	LED Cyc	Colour Chorus 72	630w	LED	(413)		
4	LED Cyc	Colour Chorus 72	630w	LED	(414)		
5	LED Cyc	Colour Chorus 72	630w	LED	(415)		

**Under Catwalks**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	ML	Varilite VL880 Spot	800w		(401)		
2	ML	Varilite VL880 Spot	800w		(402)		
3	ML	Varilite VL880 Spot	800w		(403)		

**#1 Electric**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
1	Worklight	Mini10	1kW		(171)	1/49	49

**Entry Track**

U#	Purpose	Inst Type & Access	Load	Color & Gobo	Chan	Addr	Dim
		Source 4 Jr 26°	575w				
		Source 4 Jr 26°	575w				
		Source 4 Jr 26°	575w				
		Source 4 Jr 26°	575w				